Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	10/709014 10/709015	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 17:11
L2	3	600/485-507.ccls. and ((thin adj film) with pressure) and ((light optical) adj2 (detector sensor transducer)) (photosensor photodiode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:27
L3	. 10	600/485-507.ccls. and yang.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:27
L4	26	600/485-507.ccls. and ((thin adj film) with pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:00
L5	15	("4320767" "5140990" "6375614" " 6398727" "6364842" "6605038" "65 46269" "6612984" "6609023" "6272 936" "5368039" "6050940" "641322 3" "5551438" "6336900").PN.	USPAT	OR	ON	2005/03/20 17:27
L6	2	("5833618" "5964701").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/20 17:30
L7	71	600/485-507.ccls. and ((diaphragm film) same (sensor transducer)) and ((LED \$emitter) same (photodiode \$sensor \$detector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:33
L8	1	("6413223").URPN.	USPAT	OR	OFF	2005/03/20 17:32
L9	2	600/485-507.ccls. and khair.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:40
L10	10	600/485-507.ccls. and ((hold adj down) with pressure) and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:43
L11	75	600/485-507.ccls. and ((sensor transducer film) with ((hold adj down) applied) with pressure) and ((LED \$emitter) same (\$detector photodiode \$sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:44

			<u> </u>			
L12	19	("3926179" "4201222" "4799491" "4802488" "4830014" "5018529" "5140990" "5158091" "5165416" "5195522" "5261412" "5273046" "5363855" "5485848" "5490506" "5724025" "5832924" "5908027" "5984874").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/20 17:50
L13	6	600/485-507.ccls. and ((strain adj (gauge gage)) with (thin adj film))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:55
L14	21	"600"/\$.ccls. and ((strain adj (gauge gage)) with (thin adj film))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 17:55
L15	46	600/485-507.ccls. and ((thin adj film) with (sensor transducer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 18:04
L16	6	600/485-507.ccls. and ((thin adj film) with (straingauge straingage (strain adj gage) (strain adj gage) (wheatstone adj bridge)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 18:04
L17	9	600/485-507.ccls. and ((thin adj film) same (strain adj (gauge gage)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 18:50
L18	4	600/485-507.ccls. and ((thin adj film) with semiconductor with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 18:50
L19	98	600/485-507.ccls. and (((photodetector photosensor) (photo light) with (detector sensor)) same photodiode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:04
L20	48	600/485-507.ccls. and (((photodetector photosensor) (photo light) with (detector sensor)) same photodiode) and (blood adj pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:15

L22	13	600/485-507.ccls. and (band with sensor with (pressure with (applied hold)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:20
L24	2	"600"/\$.ccls. and ((hold) with pressure with sensor) and (infrared and visible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:22
L25	64	"600"/\$.ccls. and ((applied) with pressure with sensor) and (infrared and visible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:30
L26	62	"600"/\$.ccls. and (transceiver same ("RS-232" (RS adj "232")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:32
L27	27	"600"/\$.ccls. and (transceiver same wireless same ("RS-232" (RS adj "232")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:40
L28 _,	1	"600"/\$.ccls. and ((wireless with transceiver) same (serial adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:39
L29	5	09/551719	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 19:38
L30	1	"600"/\$.ccls. and (((RF radio) with transceiver) same (serial adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:42
L31	4	"600"/\$.ccls. and (transceiver same (serial adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:41
L32	34	"600"/\$.ccls. and (wireless with (RS adj "232"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:44

L33	33	"600"/\$.ccls. and (((RF radio) with transceiver) same (rs adj "232"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:48
L34	12	"600"/\$.ccls. and (wireless with (serial adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:45
L35	3	("4075632" "5012411" "5400794").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/20 19:48
L37	49	"600"/\$.ccls. and (((RF radio)) with (rs adj "232"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:53
L38		"600"/\$.ccls. and (((RF radio)) with (serial adj3 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:56
L39	39	"600"/\$.ccls. and (transceiver same (serial with interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 19:58
L40 .	58	"600"/\$.ccls. and (transmitter same (serial with interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:00
L41	11	"607"/\$.ccls. and (transceiver with ((RS adj "232") (serial adj2 interface)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:04
L42	14	"607"/\$.ccls. and (transceiver same (serial adj2 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:04
L43	12	"600"/\$.ccls. and (transceiver same (serial adj2 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:05

L44	38	"600"/\$.ccls. and (transceiver same (serial adj2 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:05
L45	122	(600/485-507.ccls.) and (wrist with finger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 20:26
L46	50	(600/485-507.ccls.) and (wrist with finger) and (emitter photoemitter led)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 20:26
L47	6	(600/504-507.ccls. and 600/485. ccls.) and (wrist with finger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:36
L48	15	(600/501-503.ccls. and 600/485. ccls.) and (wrist with finger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:37
L49	27	(600/485.ccls.) and (pulse adj wave) and (wrist with finger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:46
L50	9	(600/485.ccls.) and (hold with down with pressure) and (light photodetector photodiode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/20 20:56
L52	53	600/485-507.ccls. and (thin adj film) and (optical light photodetector photodiode photosensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 20:59
L53	0	600/485-507.ccls. and ((thin adj film) same (film with region) same pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:00
L54	2	600/485-507.ccls. and ((thin adj film) same plastic same pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:04

	<u> </u>		Y		,	
L55	5	600/485-507.ccls. and ((infrared same visible) with emitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:05
L56	11	600/485-507.ccls. and ((infrared same visible) with source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:07
L57	39	600/485-507.ccls. and ((infrared same visible)) and (blood adj pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:07
L58	30	600/485-507.ccls. and (blood adj pressure) and (pulse adj rate) and (oxygen saturation"SaO.sub.2" oximeter oximetry) and visible and infrared	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/20 21:32
L67	57	"600"/\$.ccls. and (((heart pulse) adj rate) same (oximeter) same (ECG EKG))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/20 22:13